51. Given below are two statements:

### Statement I:

The acidic strength of monosubstituted nitrophenol is higher than phenol because of electron withdrawing nitro group.

### Statement II:


*o*-nitrophenol, *m*-nitrophenol and *p*-nitrophenol will have same acidic strength as they have one nitro group attached to the phenolic ring.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.

(4) Statement I is correct but Statement II is incorrect.

752. The given graph is a representation of kinetics of a reaction.




The *y* and *x* axes for zero and first order reactions, respectively are

- (1) zero order (y = rate and x = concentration), first order  $(y = \text{rate and } x = t_{1/2})$   $\swarrow$
- zero order (y = concentration and x = time), first order ( $y = t_{1/2}$  and x = concentration)
- (3) zero order (y =concentration and x =time), first order (y =rate constant and x =concentration)


zero order (y = rate and x = concentration), first order ( $y = t_{1/2}$  and x = concentration)

- 53. Identify the incorrect statement from the following
  - (1) Lithium is the strongest reducing agent among the alkali metals.
  - (2) Alkali metals react with water to form their hydroxides.
  - The oxidation number of K in  $KO_2$  is +4.
  - (4) Ionisation enthalpy of alkali metals decreases from top to bottom in the group.

54. The Kjeldahl's method for the estimation of nitrogen can be used to estimate the amount of nitrogen in which one of the following compounds?







55. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): ICl is more reactive than I<sub>2</sub>.

Reason (R): I-Cl bond is weaker than I-I bond.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) (A) is not correct but (R) is correct.
- (2) Both (A) and (R) are correct and (R) is the correct explanation of (A).
- (3) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A).

(4) (A) is correct but (R) is not correct.

56. Match List - I with List - II.

### List-I

### List-II

- (a) Li (i) absorbent for carbon dioxide
- (b) Na (ii) electrochemical cells
- (c) KOH (iii) coolant in fast breeder reactors
- (d) Cs (iv) photoelectric cell

Choose the **correct answer** from the options given below:

(a) - (ii), (b) - (iii), (c) - (i), (d) - (iv)

- (2) (a) (iv), (b) (i), (c) (iii), (d) (ii)
- (3) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (4) (a) (i), (b) (iii), (c) (iv), (d) (ii)

# **MOMENTUM**

Excellent Faculty



We have a highly qualified, well-trained and experienced faculty.

We have a systematic recruitment and training program for our faculty members. We recruit highly qualified teachers from best colleges, premier universities and from esteemed educational institutions.



- 57. The IUPAC name of an element with atomic number 119 is
  - (1) ununoctium
  - (2) ununennium
  - (3) unnilennium
  - (4) unununnium
- 58. The incorrect statement regarding chirality is:
  - (1) A racemic mixture shows zero optical rotation.
  - $\begin{array}{ll} \text{(2)} & S_N 1 \text{ reaction yields } 1:1 \text{ mixture of both} \\ & \text{enantiomers.} \end{array}$
  - (3) The product obtained by  $S_N 2$  reaction of haloalkane having chirality at the reactive site shows inversion of configuration.
  - (2) Enantiomers are superimposable mirror images on each other.
- 59. Given below are two statements:

### Statement I:

In the coagulation of a negative sol, the flocculating power of the three given ions is in the order -

$$Al^{3+} > Ba^{2+} > Na^{+}$$

### Statement II:

In the coagulation of a positive sol, the flocculating power of the three given salts is in the order -

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.
- (4) Statement I is correct but Statement II is incorrect.
- 60. Gadolinium has a low value of third ionisation enthalpy because of
  - (1) high basic character
  - (2) small size
  - (3) high exchange enthalpy
  - (4) high electronegativity

61. Match List - I with List - II.

	List - I		List - II
	(Drug class)		(Drug molecule)
(a)	Antacids	(i)	Salvarsan
(b)	Antihistamines <sup>1</sup>	(ii)	Morphine

(c) Analgesics (iii) Cimetidine

(d) Antimicrobials (iv) Seldane
Choose the correct answer from the options given

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (iii), (c) (i), (d) (ii)
- (2) (a) (iii), (b) (ii), (c) (iv), (d) (i)
- (2) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (4) (a) (i), (b) (iv), (c) (ii), (d) (iii)
- 62. Amongst the following which one will have maximum lone pair lone pair electron repulsions?
  - (1) XeF<sub>2</sub>
  - (2) CIF<sub>3</sub>
  - (3) IF<sub>5</sub>
  - (4) SF<sub>4</sub>
- 63. The incorrect statement regarding enzymes is:
  - (1) Enzymes are very specific for a particular reaction and substrate.
  - (2) Enzymes are biocatalysts.
  - (3) Like chemical catalysts enzymes reduce the activation energy of bio processes.
  - (4) Enzymes are polysaccharides.
- 64. Given below are two statements:

### Statement I:

The boiling points of the following hydrides of group 16 elements increases in the order -

$$H_2O < H_2S < H_2Se < H_2Te$$
.

### Statement II:

The boiling points of these hydrides increase with increase in molar mass.

In the light of the above statements, choose the **most** appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect

# Innovative Study Material



छात्रसंघ चौक

Meticulous, relevant & original Study Material and Test Papers are prepared based on the latest pattern of exams designed by the expert faculty of MOMENTUM.



### Statement I:

Primary aliphatic amines react with  $\mathrm{HNO}_2$  to give unstable diazonium salts.

#### Statement II:

Primary aromatic amines react with HNO<sub>2</sub> to form diazonium salts which are stable even above 300 K.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.
- (4) Statement I is correct but Statement II is incorrect.
- 66. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

### Assertion (A):

In a particular point defect, an ionic solid is electrically neutral, even if few of its cations are missing from its unit cells.

### Reason (R):

In an ionic solid, Frenkel defect arises due to dislocation of cation from its lattice site to interstitial site, maintaining overall electrical neutrality.


In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) (A) is not correct but (R) is correct
- (2) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (3) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (4) (A) is correct but (R) is not correct
- 67. What mass of 95% pure CaCO<sub>3</sub> will be required to neutralise 50 mL of 0.5 M HCl solution according to the following reaction?

 $CaCO_{3(s)} + 2HCI_{(aq)} \rightarrow CaCI_{2(aq)} + CO_{2(g)} + 2H_2O_{(l)}$ [Calculate upto second place of decimal point]

- (1) 9.50 g
- (2) 1.25 g
- (3) 1.32 g
- (4) 3.65 g

68. Which compound amongst the following is not an aromatic compound?



10

- (2)
- (3)
- (4)
- **69.** In one molal solution that contains 0.5 mole of a solute, there is
  - (1) 1000 g of solvent
  - (2) 500 mL of solvent
  - (3) 500 g of solvent
  - (4) 100 mL of solvent
- 70. Which statement regarding polymers is not correct?
  - (1) Thermosetting polymers are reusable.
  - (2) Elastomers have polymer chains held together by weak intermolecular forces.
  - (3) Fibers possess high tensile strength.
  - (4) Thermoplastic polymers are capable of repeatedly softening and hardening on heating and cooling respectively.

71. 
$$RMgX + CO_2 \xrightarrow{dry} Y \xrightarrow{H_3O^+} RCOOH$$

What is Y in the above reaction?

- (1) (RCOO)<sub>2</sub>Mg
- (2) RCOO<sup>-</sup>Mg<sup>+</sup>X
- (3)  $R_3CO^-Mg^+X$
- (4) RCOO<sup>-</sup>X<sup>+</sup>



Values

छात्रसंघ चौक

Student First Hard Work

ccountability

Passion

Employee Care

Integrity

Team Work

- 72. Which one is not correct mathematical equation for Dalton's Law of partial pressure? Here p = total pressure of gaseous mixture
  - (1)  $p_i = \chi_i p_i^o$ , where  $\chi_i = \text{mole fraction of } i^{\text{th}}$  gas in gaseous mixture  $p_i^o = \text{pressure of } i^{\text{th}}$  gas in pure state
  - (2)  $p = p_1 + p_2 + p_3$
  - (3)  $p = n_1 \frac{RT}{V} + n_2 \frac{RT}{V} + n_3 \frac{RT}{V}$
  - (4)  $p_i = \chi_i p$ , where  $p_i = partial pressure of <math>i^{th}$  gas  $\chi_i = mole fraction of <math>i^{th}$  gas in gaseous mixture
- 73. Given below are two statements:

### Statement I:

The boiling points of aldehydes and ketones are higher than hydrocarbons of comparable molecular masses because of weak molecular association in aldehydes and ketones due to dipole - dipole interactions.

### Statement II:

The boiling points of aldehydes and ketones are lower than the alcohols of similar molecular masses due to the absence of H-bonding.

In the light of the above statements, choose the **most** appropriate answer from the options given below:

- (2) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.
- (4) Statement I is correct but Statement II is incorrect.
- 74. Identify the incorrect statement from the following.
  - The shapes of  $d_{xy}$ ,  $d_{yz}$ , and  $d_{zx}$  orbitals are similar to each other; and  $d_x 2_{-y} 2_{-y}$  and  $d_z 2_{-y} 2_{-y}$  are similar to each other.
  - (2) All the five 5*d* orbitals are different in size when compared to the respective 4*d* orbitals.
  - (3) All the five 4d orbitals have shapes similar to the respective 3d orbitals.
  - (4) In an atom, all the five 3d orbitals are equal in energy in free state.

### 75. Given below are half cell reactions:

$$MnO_4^- + 8 H^+ + 5 e^- \rightarrow Mn^{2+} + 4 H_2O$$
,  
 $E_{Mn^{2+}/MnO_4^-}^\circ = -1.510 V$   
 $\frac{1}{2} O_2 + 2 H^+ + 2 e^- \rightarrow H_2O$ ,

$$\frac{1}{2}O_2 + 2H^+ + 2e^- \rightarrow H_2O_r$$

$$E_{O_2/H_2O}^{\circ} = + 1.223 \text{ V}$$

Will the permanganate ion,  $MnO_4^-$  liberate  $O_2$  from water in the presence of an acid?

- (1) No, because  $E_{cell}^{\circ} = -2.733 \text{ V}$
- (2) Yes, because  $E_{cell}^{\circ} = +0.287 \text{ V}$
- (3) No, because  $E_{cell}^{\circ} = -0.287 \text{ V}$
- (4) Yes, because  $E_{cell}^{\circ} = +2.733 \text{ V}$

## **76.** Which amongst the following is incorrect statement?

- (1)  $O_2^+$  ion is diamagnetic.
- (2) The bond orders of  $O_2^+$ ,  $O_2^-$ ,  $O_2^-$  and  $O_2^{2-}$  are 2.5, 2, 1.5 and 1, respectively.
- (3) C<sub>2</sub> molecule has four electrons in its two degenerate π molecular orbitals.
- (4) H<sub>2</sub><sup>+</sup> ion has one electron.

### 77. Match List - I with List - II.


# List - I List - II (Products formed) (Reaction of carbonyl compound with)

- (a) Cyanohydrin
- i) NH<sub>2</sub>OH
- (b) Acetal
- (ii) RNH<sub>2</sub>
- (c) Schiff's base
- (iii) alcohol
- (d) Oxime (iv) HCN

Choose the **correct answer** from the options given below:

- (a) (iv), (b) (iii), (c) (ii), (d) (i)
- (2) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (3) (a) (ii), (b) (iii), (c) (iv), (d) (i)  $\propto$
- (4) (a) (i), (b) (iii), (c) (ii), (d) (iv)  $\checkmark$

# **78.** Which of the following is suitable to synthesize chlorobenzene?



- (2) Benzene, Cl<sub>2</sub>, anhydrous FeCl<sub>3</sub>
- (3) Phenol, NaNO<sub>2</sub>, HCl, CuCl
- (4) ,HCl

# Special Classes

# **MOMENTUM**

### छात्रसंघ चौक

79. The IUPAC name of the complex -  $[Ag(H_2O)_2][Ag(CN)_2]$  is:

## (1) diaquasilver(I) dicyanidoargentate(I)

- (2) dicyanidosilver(II) diaquaargentate(II)
- (3) diaquasilver(II) dicyanidoargentate(II)
- (4) dicyanidosilver(I) diaquaargentate(I)
- 80. At 298 K, the standard electrode potentials of Cu<sup>2+</sup>/Cu, Zn<sup>2+</sup>/Zn, Fe<sup>2+</sup>/Fe and Ag<sup>+</sup>/Ag are 0.34 V, -0.76 V, -0.44 V and 0.80 V, respectively.

On the basis of standard electrode potential, predict which of the following reaction can not occur?


( <del>1)</del>	$2CuSO_4(aq) + 2Ag(s) \rightarrow 2Cu(s) + Ag_2SO_4(aq)$
-----------------	--


- (2)  $CuSO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + Cu(s)$
- (3)  $CuSO_4(aq) + Fe(s) \rightarrow FeSO_4(aq) + Cu(s)$
- (4)  $\operatorname{FeSO}_4(\operatorname{aq}) + \operatorname{Zn(s)} \to \operatorname{ZnSO}_4(\operatorname{aq}) + \operatorname{Fe(s)}$
- 81. The pH of the solution containing 50 mL each of 0.10 M sodium acetate and 0.01 M acetic acid is


[Given pK<sub>a</sub> of  $CH_3COOH = 4.57$ ]


- (1) 2.57
- (2) 5.57
- (3) 3.57
- (4) 4.57
- **82.** Choose the correct statement:
  - (1) Both diamond and graphite are used as dry lubricants.
  - (2) Diamond and graphite have two dimensional network.
  - (3) Diamond is covalent and graphite is ionic.
  - (4) Diamond is  $sp^3$  hybridised and graphite is  $sp^2$  hybridized.
- 83. Which of the following statement is **not** correct about diborane?
  - (4) Both the Boron atoms are  $sp^2$  hybridised.
  - (2) There are two 3-centre-2-electron bonds.
  - (3) The four terminal B-H bonds are two centre two electron bonds.
  - (4) The four terminal Hydrogen atoms and the two Boron atoms lie in one plane.

84. Which of the following p-V curve represents maximum work done?









85. Match List - I with List - II.

# List - I List - II (Hydrides) (Nature)

- (a) MgH<sub>2</sub>
- (i) Electron precise
- (b) GeH<sub>4</sub>
- (ii) Electron deficient
- (c)  $B_2H_6$
- (iii) Electron rich
- (d) HF
- (iv) Ionic

Choose the **correct answer** from the options given below:

- (1) (a) (ii), (b) (iii), (c) (iv), (d) (i)
- (2) (a) (iv), (b) (i), (c) (ii), (d) (iii)
- (3) (a) (iii), (b) (i), (c) (ii), (d) (iv)
- (4) (a) (i), (b) (ii), (c) (iv), (d) (iii)

# MOMENTUM

Role of Parents



# छात्रसंघ चौक

# To Make their Chile competent & Successful

In a world where competition is getting stiffer with each passing day, the pressure to outperform others may add to the rising stress levels in students. Perental involvement is, therefore, extremely important for a child to do well in exams. It is imperative for a parent to understand his/her child's mental, psychological and emotional state of mind.

### Section - B (Chemistry)

**86.** The product formed from the following reaction sequence is

- 87. The order of energy absorbed which is responsible for the color of complexes
  - (A)  $[Ni(H_2O)_2(en)_2]^{2+}$
  - (B)  $[Ni(H_2O)_4(en)]^{2+}$  and
  - (C)  $[Ni(en)_3]^{2+}$

is

- (1) (B) > (A) > (C)
- (2) (A) > (B) > (C)
- (3) (C) > (B) > (A)
- (A) (C)>(A)>(B)
- 86. Compound X on reaction with O<sub>3</sub> followed by Zn/ H<sub>2</sub>O gives formaldehyde and 2-methyl propanal as products. The compound X is:
  - (1) Pent-2-ene
  - 3-Methylbut-1-ene
  - (3) 2-Methylbut-1-ene
  - (4) 2-Methylbut-2-ene

89. Given below are two statements:

### Statement I:

In Lucas test, primary, secondary and tertiary alcohols are distinguished on the basis of their reactivity with conc. HCl+ZnCl<sub>2</sub>, known as Lucas Reagent.

#### Statement II:

Primary alcohols are most reactive and immediately produce turbidity at room temperature on reaction with Lucas Reagent.

In the light of the above statements, choose the **most** appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.
- (4) Statement I is correct but Statement II is incorrect.
- 90. For a first order reaction A → Products, initial concentration of A is 0.1 M, which becomes 0.001 M after 5 minutes. Rate constant for the reaction in min<sup>-1</sup> is
  - (1) 0.2303
  - (2) 1.3818
  - **(3)** 0.9212
  - (4) 0.4606
- 91. In the neutral or faintly alkaline medium, KMnO<sub>4</sub> oxidises iodide into iodate. The change in oxidation state of manganese in this reaction is from
  - (1) + 6 to + 5

(2)	+7  to  +4

- (3) + 6 to + 4
- (4) +7 to +3
- 92. Match List I with List II.

	List - I		List - II
	(Ores)		(Composition)
(a)	Haematite.	(i)	$Fe_3O_4$
(b)	Magnetite	(ii)	ZnCO <sub>3</sub>
(c)	Calamine	(iii)	$Fe_2O_3$
(d)	Kaolinite	(iv)	[Al <sub>2</sub> (OH) <sub>4</sub> Si <sub>2</sub> O

Choose the **correct answer** from the options given below:

- (1) (a) (i), (b) (iii), (c) (ii), (d) (iv)
- (2) (a) (i), (b) (ii), (c) (iii), (d) (iv)
- (a) (iii), (b) (i), (c) (ii), (d) (iv)
- (4) (a) (iii), (b) (i), (c) (iv), (d) (ii)

### About to MOMENTUM

# **MOMENTUM**

### छात्रसंघ चौक

Competition for Medical Aspirant is everywhere and it is becoming tougher with each passing day. Many times, the dream of student who wish to become a doctor remain a dream due to lack of proper guidance. If they are mentored in the right way for the NEET, success could be theirs.

With the view of helping the dream of mass, MOMENTUM was founded in 2004 by Er. Sanjeev Kumar. Started as a humble coaching institute with barely 100 students, a simple vision and support from a few well-wishers, MOMENTUM has today become a true phenomenon. A phenomenon that is one of its kind and has become mightier with each passing year.



**93.** A 10.0 L flask contains 64 g of oxygen at 27°C. (Assume  $O_2$  gas is behaving ideally). The pressure inside the flask in bar is

(Given  $R = 0.0831 L bar K^{-1} mol^{-1}$ )

177	
(1)	4.9

- (2) 2.5
- (3) 498.6
- (4) 49.8

94. The pollution due to oxides of sulphur gets enhanced due to the presence of:

- (a) particulate matter
- (b) ozone
- (c) hydrocarbons
- (d) hydrogen peroxide

Choose the **most appropriate** answer from the options given below:

- (1) (a), (c), (d) only
- (2) (a), (d) only
- (3) (a), (b), (d) only
- (4) (b), (c), (d) only

95. If radius of second Bohr orbit of the He<sup>+</sup>ion is 105.8 pm, what is the radius of third Bohr orbit of Li<sup>2+</sup>ion?

(1)	158.7	Å
-----	-------	---

- (2) 158.7 pm
- (3) 15.87 pm
- (4) 1.587 pm

96. 
$$3 O_2(g) \rightleftharpoons 2 O_3(g)$$

for the above reaction at 298 K,  $K_c$  is found to be  $3.0\times10^{-59}$ . If the concentration of  $O_2$  at equilibrium is 0.040 M then concentration of  $O_3$  in M is

$$(2)$$
  $1.2 \times 10^{21}$ 

(2)	$4.38 \times 10^{-32}$

- (3)  $1.9 \times 10^{-63}$
- (4)  $2.4 \times 10^{31}$

97. Find the emf of the cell in which the following reaction takes place at 298 K


 $Ni(s) + 2 Ag^{+} (0.001 M) \rightarrow Ni^{2+} (0.001 M) + 2 Ag(s)$ 

(Given that  $E_{cell}^{\circ} = 10.5 \text{ V}$ ,  $\frac{2.303 \text{ RT}}{F} = 0.059 \text{ at } 298 \text{ K}$ )

- (1) 1.05 V
- (2) 1.0385 V
- (8) 1.385 V
- (4) 0.9615 V

- 98. Copper crystallises in fcc unit cell with cell edge length of  $3.608 \times 10^{-8}$  cm. The density of copper is  $8.92 \text{ g cm}^{-3}$ . Calculate the atomic mass of copper.
  - (1) 65 u
  - (2) 63.1 u
  - (3) 31.55 u
  - (4) 60 u
- 99. Which one of the following is not formed when acetone reacts with 2-pentanone in the presence of dilute NaOH followed by heating?

(2) 
$$H_3C$$
  $CH_3$   $CH_3$ 



100. The correct IUPAC name of the following compound is:

- (1) 6-bromo-4-methyl-2-chlorohexan-4-ol
- (2) 1-bromo-5-chloro-4-methylhexan-3-ol
- (3) 6-bromo-2-chloro-4-methylhexan-4-ol
- (4) 1-bromo-4-methyl-5-chlorohexan-3-ol

# **Doubt Clearing Sessions**

# MOMENTUM MOMENTUM

छात्रसंघ चौक

The student at **MOMENTUM** find the doubt clearnace system quite helpful. During doubt clearance hours students can ask any doubt on any topic from the respective subject teachers in allotted room.

